

- neon, 357–9
 burning, 437
 isotope ratios, 358, 464
 isotopes of, 357–8, 463–4
- nepheline, in meteorites, 454
- nephelinites, 315
- Neptune, 475–6, 478, 483
- Nernst equation, 103
- Nernst, Walther, 103n
- net density of electronic charge, 258
- net proton charge, 259
- net transport *see* transport, net
- network formers, 140
- network modifiers, 140
- neutrinos, 328–9, 434, 437, 439
- neutron capture, 438
- neutron number, 7, 323
 for stable nuclides, 325
- neutron stars, 441
- neutrons, 323, 327, 371, 434, 439, 440n
- Newton, Isaac, 495
 First Law of, 23
- nickel, 314–15, 314
 complexed, 590
 in earth's core, 511
 in olivine, 183, 282
- nicotinamide adenine dinucleotide (NAD), 572, 573, 578
- phosphate (NADP), 572, 573, 578
- Nier, Alfred, 321, 371
- niobium, 278
 in continental crust, 542, 544
- metal-silicate partition coefficient, 515
- in subduction zone magmas, 550
- NIST SRM, 418n
- nitrate, 109
- nitric acid, dissociation of, 219
- nitric oxide, infrared absorption by, 617–18
- nitrification, 565
- nitrogen, 273
 atoms, 162–3, 163
 bacterial cycling of, 600, 600
 fixation, 391, 565
 isotope fractionation, in biological processes, 391–2, 392
- isotope ratios, 373
- isotopes of, 413–14
- isotopic composition of, 465
- proton and neutron occupation levels of, 328
- nitrous oxide, production, 162
- noble metals, 12, 278–9, 516
 abundances of, 280
- noble (rare) gases, 10–11, 272, 463
- non-bridging oxygens
 tetrahedral cations ratio (NBO/T), 288
- non-conservative ions, 225
- novae, 432, 442
- nuclear angular momentum, 326
- nuclear energetics, 323–6
- nuclear force, 323–4
- nuclear physics, 322–30
- nuclear reactions, 358
- nuclear structure, 323–6
- nucleation, 193–7
 of diopside, 195–6
 heterogeneous, 196
 rate of, 194
- nuclei
 collective model of, 326
 decay of, 326–30
 alpha, 327, 327
 beta, 327–8
 gamma, 326–7
 electron capture by, 328–9
 liquid-drop model of, 324–5
 physics of, 322–30
 shell model of, 235–6
 spontaneous fission by, 329–30
 stable, 323, 325, 325, 437
 states of, 326
 structure of, 322–30
- nucleic acids, 572–3
- nucleons, 324–7
 binding energy of, 324
- nucleosynthesis, 363, 430–42
 cosmological, 434–5, 435
 e-process, 437
 explosive, 438–41
 in interstellar space, 441
 p-process, 440–1, 440
 r-process, 439–40, 439–40
 s-process, 438, 440
 in stellar interiors, 435–8
- nucleotides, 572–3
- nuclides, 326, 349, 350, 439, 440n, 441, 442, 460–1
 cosmogenic, 361, 462
 neutron vs. proton number for, 325
 radiogenic, 330–1
 rate of decay of, 326
- see also* radionuclides
- obliquity, 399
- observation, 5
- octahedral crystal-field splitting, 295
- octahedral crystal-field stabilization energy (CFSE), 295–6
- octahedral site preference energy (OSPE), 298
- octahedrites, 454–5
- octanol, 596
- oil, 116, 608
 crude, 609
 composition of, 611–12, 612
 formation, 599–614
 window, 609
- olefinic units, 567
- oleic acid, 574
- oligarchic growth, 482
- olivine, 17–18, 18, 48, 61–2, 89, 129–30
 in crust, 531
 crystals of, 183, 185
 dissolution of, 203, 205
 formation from serpentine, 172
- geothermometer, 133–5
- lunar, 484
- in mantle, 500, 530
- in melts, 142–3
- in meteorites, 444, 450–3, 455, 465, 498
- nickel in, 282
- oxygen isotope ratios in, 410–11, 410
- phase diagram, 299
- saturation surface, 134
- serpentinization of, 172
- structure of, 203
- triple junctions of, 308
- omphacite, 498
- Onuma diagrams, 286–7
- Oort cloud, 475–6
- ophiolites, 498, 529
- orbitals, 8–10, 294–5, 294, 296
 degenerate, 295
- ore deposits, 404–9
 and sulphur isotopes, 406–8
- organelles, 564
- organic acids
 dissociation of, 98
 and dissolution, 599
- organic compounds
 biologically important, 570–5
- nitrogen-bearing, 572–3
 nomenclature of, 565–75
- organic geochemistry, 563
- organic matter, 580–9
 allochthonous, 601, 603–4
 autochthonous, 601, 604

- organic matter (*cont'd*)
 colloidal (COM), 580
 dissolved (DOM), 580
 in natural waters, 580–6
 particulate (POM), 580
 preservation of, 600–1
 sedimentary, 210–11,
 599–614
 in soils, 586–9
 thermal evolution of,
 608–12
 total (TOM), 580
- organic molecules
 acid-base properties of, 589
 chemical properties of,
 589–99
 short-hand notations of,
 569–70
- organisms, phylogenetic
 relationships among,
 564
- Orgueil meteorite, 276, 276
- Orion, Great Nebula in, 467,
 468
- orthoclase, 116, 119–20
 dissolution of, 217
- orthopyroxenes, 18, 61, 130,
 131
 in meteorites, 453
- orthosilicates, 18, 203
- osmiridium, 279, 343
- osmium
 decay system, 342–5
 isotope ratios, 342–3, 343,
 528, 528
 in mantle, 516
- outer sphere complexes *see* ion
 pairs
- oxalate ion, 590
- oxalates, 203
- oxalic acid, 568, 581, 586
- oxaloacetate, 390, 390
- oxidation, 100–10
 bacterial, 602–3
 of magnetite, 106–7
- oxidation state, 100
- oxidation–reduction *see* redox
- oxides, 19
 dissolution of simple, 201–3
 free energy of formation of,
 272
 immersed surfaces of, 254,
 255
 metal, 254
- oxo-complexes, 233, 233
- oxygen, 100
 atmospheric rise of, 408–9,
 622
 bridging, 140
- buffer curves, 110, 110
- in core, 513
- deviations with glaciation,
 397–8, 398
- fugacity, 108–10
- isotope geothermometry,
 386
- isotopes of, 372, 382–3,
 410–11, 416
- isotopic fractionation,
 378–9, 383, 385,
 392–3, 397
 coefficients for, 385
 and precipitation, 388
- isotopic variation, 466–7,
 466–7
- in magmas, 416
- molecules, 162–3, 163
 non-bridging, 140
 quaternary marine record,
 397–400
- oxygenation, of vanadyl, 200,
 200
- ozone, 269, 466
 stratospheric, 383, 383
- p-process, 440–1, 440
- palaeoclimatology, 372,
 396–404
- paleosols, 401–4
- pallasites, 455, 463
- palmitic acid, 581
- palmitoleic acid, 570, 581
- paraffins, 565, 608
- parent/daughter ratios, 347
- parsimony, 6
- partial differentials, 29
- partial molar quantities, 68–9
- partial molar surface area, 192
- partial molar volume, 68, 69
- partial pressure, 67
 and calcium equilibrium,
 239–40, 240
- partition coefficients, 281–2,
 287, 596
- for basalts, 293
 calculation of, 291–2
 clinopyroxene–liquid, 290
 compositional dependency
 of, 287–93
- for core, 513–14, 513
- factors governing value of,
 283–94
- gallium, 515
- GERM database of, 293
 and ionic size and charge,
 283–7
- metal–silicate, 514–15
- mineral–liquid, 293–4, 294
- niobium, 515
 parameterizing of, 288–9
 and pressure, 283
 and temperature, 283
- partition function, 44, 163,
 375
 of diatomic molecule, 376
- Pascal, Blaise, 28n
- path independence, 28–9
- Pauli Exclusion Principle, 8,
 235
- $\rho\epsilon$, 102, 103–5
- $\rho\epsilon$ –pH diagrams, 105–8, 105,
 107–8
 balancing redox reactions
 for, 109
- peat, 604–5
- peatification, 613
- Pee Dee Belemnite (PDB)
 carbonate standard,
 372–3
- peptide linkage, 572
- peptides, 572, 572
- periclase, 47, 76–7
- peridotites, 279, 498
 alpine, 493
 in mantle, 503–4, 504,
 525–6, 530, 533
 melting of, 144, 144, 306,
 552–4
 modal mineralogy of, 498
 osmium in, 343
 phase diagram for, 554
- periodic table, 6–8, 7
 electronic configuration of,
 9
- geochemical, 236, 272–81,
 273
- peritectic, 126
- permittivity, 81
 relative, 81
- perovskite
 in mantle, 500
 in meteorites, 451–2
- PERPLEX, 128
- petroleum, 604, 608
 biodegradation of, 611
 fractionation of, 611
 generation of, 608–12
 migration of, 611
 water washing of, 611
- pH, 82, 97, 99
 and adsorption, 598, 598
 of lead, 256–7
- in aquatic systems, 217
- and boron occurrence, 418
- buffer, 228–9
- and carbonate system, 221
 and complexation, 590

- and dissolution, 204–5, 205
and functional groups, 569
of groundwater, 224
and humic substances, 585
paleo, 420–2, 422
of water/atmosphere equilibrium, 222–3
- phase, 62, 191
components, 88
diagrams, 63
anorthite–diopside, 124
iron–nickel, 454
kyanite–sillimanite–andalusite, 129
for methane clathrate, 604
P–T, 122, 122
for peridotite and water, 554
for silicon dioxide, 122
and T–X, 122, 123, 127
and thermodynamics, 122–8
binary systems, 124–8
upper mantle, 499
elimination reaction, 126
equilibria, 62–7
rule *see* Gibbs phase rule
- phenolic acids, 586
phenols, 568, 581, 586, 589
phenomenological coefficient, 183
phlogopites, 88–9, 411–12, 412, 528
phlorotannins, 603
phosphates, 457
phosphoenolpyruvate carboxylase (PEP), 390, 577
phospholipids, 574–5
phosphorus, 280, 322
phosphorylation, 572, 576
photodisintegration, 438–9
photoevaporation, 483
photolysis, 383
photons, 323, 328
emission of, 326
photosynthesis, 61, 392, 564, 575–8, 618
 C_3 and C_4 pathways in, 389, 390
and glaciation, 626
isotope fractionation during, 389–91
physical constants, 635
physics, nuclear *see* nuclear physics
phytane, 574, 583, 608
phytol, 574, 608
- phytoplankton, 391, 601
piclogite, 499
picrite, 499
pigeonite, 132
in meteorites, 450
pion, 323
pitchblende, 321
pK, 92
plagioclase, 61–2, 67–9, 88–90, 122, 125, 127, 130
in crust, 539
crystallization of, 197
dissolution of, 203
lunar, 484–5
in mantle, 499
in meteorites, 453, 455
and oxygen isotopes, 380
partition coefficients, 287
peridotite, 55, 57
plagioclase–liquid system, 127, 127
- Planck, Max, 46n
Planck's constant, 173
planetesimals, 455, 479, 481–3
planets, 474–5, 478
extra-solar, 478
formation of, 480–3, 497
gas giants, 476, 482
icy, 476
terrestrial, 476, 480–1
- plants, 389–91
carbon/nitrogen deviations in, 394, 394
 C_3 , 389–90, 392
 C_4 , 390, 392, 395, 403
isotope fractionation by, 392–3, 393
nitrogen fixing, 393
- plate boundaries
convergent, 17
divergent, 16
transform, 17
- plate tectonics, 15–17, 16, 506
platinum, 101
Pleistocene glaciation, 397, 535
pleochroism, 298n
Pluto, 474–5
*p*MELTS model *see* MELTS model
podzolization, 588
point of zero net proton charge (pznpc), 259, 259
Poisson–Boltzmann equation, 85–7, 261n
Poisson's ratio, 286
- polar molecules, 13
polonium, 351n
polyelectrolytic acids, 583
polygenetic hypothesis, 432–4
polymerization, 140
polynomial regression, 289
polysaccharides, 571
homogenous, 571
porosity, 302
porphyrins, 576
positrons, 434
post-perovskite, 502
potassium, 515–16
chloride, 145–6
and heat production, 538
isotopes of, 359–60
radionuclides of, 460
power series, 116–17
praseodymium, 281
precession, 399
precipitation, 217, 239–49
and oxygen fractionation, 388–9
predictions, 5
predominance areas, 105
predominance diagrams, 105, 240, 242, 242
- Preliminary Reference Earth Model (PREM), 496, 497
- presolar grains, 452, 465, 479
- pressure, 23
and depth, 303
and enthalpy changes, 48–51
and entropy, 47, 304
and equilibrium constant, 96
and Gibbs free energy, 55–6
internal, 41
and isotopic fractionation, 380
in mantle, 531–3, 533
and mantle melting, 532
and melt fraction, 303–7
and molar volume, 83
and partition coefficients, 283
- primitive mantle composition, 494, 502
- principle of detailed balancing, 172
- pristane, 574, 583, 608
- process identification, 372
plot, 315, 316
- processes, 22
interface, 191–201
spontaneous, 71
- prokaryotes, 564, 564, 565

- promethium, 281
 propane, 565
 properties, extensive and intensive, 23
 propionic acid, 581
 propylene bromide, 67
 proteins, 572–3
 protists, 564
 protogalaxies, 435
 proton accounting, 218–20
 proton balance equation, 218–19, 222
 proton mole balance equation, 219–20, 222, 225
 proton number *see* atomic number
 protons, 323, 327, 434, 439
 protoplanets, 481
 protostars, 462, 468–9
 Prout, William, 7
 pulsars, 441
 pure substance, 24
 purine group, 572, 573
 pyranyl, 569
 pyridinyl, 569
 pyrimidine group, 572, 573
 pyrite, 19, 624
 pyrobitumens, 608
 pyrolite, 498–9, 501–2
 pyrolysis, 606
 pyrope, 89–90, 131
 pyrophyllite, 247, 250–1
 in equilibrium with aluminum, 247–9, 248
 structure of, 251
 pyroxenes, 18, 18, 129, 131–3, 282, 536
 aluminous, 130–1
 from lavas, 144, 144
 lunar, 484
 in mantle, 499
 in meteorites, 450–5, 498
 quadrilateral, 133
 solvus, 132
 pyroxmangite, 129
 pyrrhotite, 243
 pyruvic acid, 568, 581
 quantum numbers, 8, 235
 quarks, 323
 quartz, 18, 46–7, 49, 64, 110, 123, 161, 196, 386
 dissolution of, 203
 dissolving in basalt, 186, 186
 and oxygen isotopes, 380
 precipitation of, 245
 quartzite, 544
 quaternary marine oxygen record, 397–400
 r-process, 439–40, 439–40
 racemization, of amino acids, 171
 radiation
 damage, 545n
 pattern of, 399
 self-shielding, 466
 radioactive decay, 322
 in crust, 536
 equation of, 330, 350, 459
 and heat production, 538
 long-lived systems of, 332, 334–60
 lanthanum–cerium, 345
 lutetium–hafnium, 340–2
 rhenium–osmium, 342–5
 rubidium–strontium, 334–6
 samarium–neodymium, 336–40
 uranium–thorium–lead, 345–9
 rate of, 322
 radioactive equilibrium, 351
 radioactivity, 281, 321, 351n
 radiogenic elements, 3
 radiogenic isotopes, 322
 basic geochemistry of, 330–4
 radiometric chronometers, 456
 radionuclides, 330–1, 622
 extinct, 458–62
 fossil, 363–5
 short-lived, 458
 radium, 351n
 dating by, 354
 radon, 281
 rainwater, 99
 randomness, 5n
 Raoult, François Marie, 67n
 Raoult's Law, 67, 68, 72, 74–5, 78, 118, 387
 rare earth patterns
 in crust, 541
 shale normalized, 277–8, 277, 535–6, 536
 rare earth plots, 275, 276
 normalizing values for, 277
 rare earths, 9, 12, 275–8
 actinide, 275
 in basalts, 519–20, 520
 concentrations of, 276
 enriched and depleted, 550
 formation of pyroxene, 289–90
 of island arc volcanics, 550
 lanthanide, 275, 275
 in magmas, 553
 rare gases, solubility of, 273
 rate constant, 164, 166, 174, 381
 and temperature, 177
 rate equation, general form of, 166
 Rayleigh condensation, 388
 Rayleigh distillation, 415
 Rayleigh fractionation, 388, 416
 reaction affinity, 176
 reaction kinetics, 161–72
 reaction mechanisms, 160–2
 reaction quotient, 93, 176
 reaction rates, 162–6
 of complex reactions, 166–70
 composition dependence of, 162–3
 determining steps in, 169–70
 relative change in, 165
 temperature dependence of, 163–6
 reactions
 acid–base, 217–31
 in aqueous solutions, 217
 bacterial, 602
 branching in, 168–9
 chain, 168–9
 complex, 166–70
 dissolution, 177
 elementary, 161–3, 166–7, 169, 172–3, 176–7
 endothermic, 50
 and enthalpy changes, 50–1, 173
 eutectic, 126
 exchange, 133–7
 exothermic, 50
 Gibbs free energy change in, 54
 ionization, 101n
 irreversible, 37
 order of, 166
 overall, 161–2, 172, 176
 peritectic, 126
 phase elimination, 126
 rate-determining steps, 169–70
 redox, 61
 reversible, 37–8
 reactive intermediates, 169, 173
 real gas, 75

- real solutions, 73–80
 and chemical potential, 74–5, 74
 mathematical models of, 116–19, 120
 reciprocity relation, 29
 red giants, 432, 436–8, 442, 461–2, 465
 Redlich-Kwong Equation, 25–6, 75
 redox, 100
 alternative representation of, 103–5
 in aqueous solutions, 101–8
 balancing reactions for
 pe–pH diagrams, 109
 in magmatic systems, 108–10
 reactions, 61
 and catalyzation, 200
 reduction, 100–10
 reference state, 82, 83
 reflectance, 400
 spectra, 463, 463
 refractory lithophile elements, 504
 regression
 coefficients, 290
 least squares, 333
 regular solutions, 117
 Ghiorso model for melts, 141–5
 remineralization, 600
 replication, 5
 importance of, 488
 resins, 608, 611
 respiration, 578–80, 618
 retinol, 570, 576
 Revelle, Roger, 627
 reversibility, 22–3
 revolution, scientific, 5–6
 Reynolds, John, 463
 rhenium, 280, 528–9
 decay system, 342–5
 rhodonite, 129
 ribonucleic acid (RNA), 564, 572–3
 ribosomes, 564
 ribulose, 571
 biphosphate carboxylase, 389
 oxygenase (RUBISCO), 389, 391, 576
 richterite, 528
 Ringwood, Alfred E., 284n
 ringwoodite, 500
 Ringwood's substitution rule, 284–5
- rocks
 felsic, 15
 heat production in, 538
 lunar, 484, 484
 mafic, 15
 ultramafic, 15, 498, 498
 rotation, 376
 rubidium, 130
 decay system, 331, 334–6
 isotopes of, 322
 in mantle, 502
 rutile, 135, 136
- s-process, 438, 440
 salicylate, 593–5
 salicylic acid, 568, 581
 titration curve of, 590
 salts, activity and molality of, 147–8
 samarium, 281, 302
 decay system, 336–40, 363–5, 546
 in mantle, 505–7, 509, 522
 sanidine, 18
 saponite, 250
 Saturn, 475–6, 478
 Schönbein, Christian Friedrich, 1
 Schrödinger equation, 8n, 377
 science, philosophy of, 4–6
 scientific understanding,
 building of, 5–6
 screw dislocation, 191
 seawater, 82, 181, 269
 boron in, 418, 420–2, 422
 carbohydrates dissolved in, 582, 582
 dating of, 353
 helium in, 357, 357
 lithium in, 422
 neodymium in, 340
 osmium in, 344, 345
 strontium in, 335–6, 335
 secondary ionization mass spectrometry (SIMS), 465n
 sediments
 aquatic, 604–5
 compositional gradients in, 207–10
 concentration profiles of, 208
 fluxes in, 209–10, 209, 552
 and isotope ratios, 342
 marine, 601–4
 organic rich, 600–5
 osmium rich, 343
- sulfate reduction in, 210–11, 211
 uranium dating of, 352
 seismic anisotropy, 498n
 seismic velocity, in crust, 536, 538–9, 539
 seismic waves, types of, 495
 selective preservation, 606
 selectivity constant, 252
 self-diffusion, 182–3
 frequency factors and
 activation energies, 190
 semi-permeable membranes,
 clays as, 262
 semi-volatile elements, 274
 septechlorite, 252
 serpentine, 95, 172, 250
 in meteorites, 452
 mud, 555
 serpentinites, 424
 shale, 535–6
 rare earth patterns of, 536
 normalized, 277–8, 277
 shell model of nucleus, 235–6
 shells, 8
 shock waves, 451, 468–9, 479, 481
 SI units, 28, 636
 siderite, 243–4
 siderophile elements, 236, 271, 271, 271, 272
 siderophores, 591
 silica
 in equilibrium with quartz, 245
 glass, 140
 in melts, 144
 opaline, 161
 phase diagram for, 122
 and seismic velocity, 539
 solubility of, 245–6
 transitions, 129
 tetrahedron of, 18, 140
 silicates, 17, 18
 dissolution of, 203–7, 247–9
 distorted coordination
 polyhedra in, 297, 297
 heat capacity of, 47
 hydrous, 18
 and oxygen isotopes, 380, 416
 sheet, 18, 18, 204, 249
 solidus temperature of, 307
 structure of melts, 139–40, 140
- silicon, 512
 burning, 437
 carbide, 464–5, 465

- silicon (*cont'd*)
 dioxide *see* silica
 in meteorites, 446
 sillimanite, 64, 130
 simplicity, principle of, 5–6
 singularities, 441
 660 seismic discontinuity, 500–1, 506, 525
 skepticism, scientific, 6
 smectite, 250–1
 snowball earth hypothesis, 624–6
 snowline, 481
 sodium
 bicarbonate, 227, 228
 chloride, 78–80, 82
 activity coefficient of, 146, 149
 activity–molality relationship of, 147–8, 148
 chemical potential of, 145
 dissolution of, 94
 molar volume of, 83–4, 83
 soil water, 98
 soils, 401–4
 organic matter in, 586–9
 solar activity, 361
 solar composition, 446
 solar energy, 15
 solar nebula, *see* nebula
 solar system, 1–2, 4, 474–8, 497
 building a habitable, 478–89
 constraints on formation, 467–78
 data on major bodies in, 475
 early events in, 461
 elements in, 433
 isotopic composition of, 456–67
 short-lived radionuclides in, 458
 solar wind, 432
 solid solutions, 88–9
 alkali feldspar, 118–19, 119
 Margules parameters for, 137
 non-ideal, 116–19
 solids
 crystalline, 88–9
 diffusion in, 187–9, 188
 energy distribution in, 45–7
 multiphase, 301
 solubility
 constant of barite, 96
 of goethite, 247, 247
 of metal hydroxides, 246
 product, 94
 of rare gases, 273
 solute, 82
 solutions, 67–8
 complete *see* complete solutions
 electrolyte *see* electrolyte solutions
 high ionic strength, 148–53
 ideal *see* ideal solutions
 interaction with mineral surfaces, 253–64
 real *see* real solutions
 saturated, 193
 solid *see* solid solutions
 solvation, 81, 87
 and activity coefficient, 149, 150
 of cations, 81
 effects of, 149
 energy, 81
 number, 81, 149
 shells, 81, 149–50, 150, 218, 231
 solvent, 82
 solvus, 120, 121
 equilibria, 132–3
 spallation, 357n, 360
 in meteorites, 460, 462
 speciation, of copper, 594–5
 species, 62, 226
 choice of, 97
 diffusing, 181–2, 181–2
 equivalents of, 226n
 polymeric, 233
 predominant, 105
Sphagnum, 605
 spider diagram, 523–4, 524
 spin, 235
 spinel, 55–6, 61, 130, 309
 in mantle, 499–500
 in meteorites, 450–2, 465
 peridotite, 55, 57
 spinodal, 120, 122, 122
 spontaneity, criterion for
 recognizing, 54
 spontaneous fission, 329–30
 squalene, 574
 stability constants, 231–2, 236, 592–3
 of copper, 594
 stability diagrams, 242, 248
 construction of, 243–5
 three-dimensional, 249, 249
 stable isotopes *see* isotopes, stable
 standard mean ocean water (SMOW), 372–3
 standard state, 82–4, 83, 92
 data for minerals, 52
 starch, 571
 stars
 classification of, 431
 condensation sequence of, 471–4
 evolutionary path of core, 436
 hydrogen, helium and carbon burning, 435–7
 neutron, 441
 protostellar evolution of, 467–71
 structure at supernova stage, 437
 state
 equations of, 24–6
 functions, 23
 states
 metastable, 22
 records of past, 22
 of systems, 21
 static state, 21
 statistical mechanics, 20, 31–8
 steady state, 21
 and equilibrium, 170–2
 steam, 53
 stearic acid, 569–70, 574, 581
 stearic factor, 164
 step, 191
 Stephan's Law, 617
 stereoisomers, 565
 Stern layer, 261–2, 262
 steroids, 575
 stoichiometric activity
 coefficient, 146, 166
 stoichiometric coefficients, 226
 stoichiometric constituents, 269
 Stokes-Einstein equation, 190
 stratosphere, 162
 oxygen isotopic composition in, 383
 strictly regular solution, 117n
 strong force, 323
 strontium, 130, 198
 decay system, 334–6
 isotope chronostratigraphy, 336
 isotope evolution diagram, 334
 isotope geochemistry, 331
 isotope ratios, 337, 339, 339, 527, 527, 551
 isotopes of, 322
 modeling isotope evolution, 340
 in oceanic basalts, 518

- in pore water, 183–4
reference initial, 458
- subduction, 16–17, 16
erosion, 525, 547
magma genesis in, 552–6
of sediment, 550–2
zone, 554
processes, 547–56
- subshells, 8
- substances
fully activated, 45
hydrophobic, 595–6
- substitution
coupled, 286
Goldschmidt's rules of, 284–5
- sucrose, 571, 571
- Suess, Hans, 626
- sugars, simple, 571
- sulfates, 19, 604
assimilatory/dissimilarity reduction, 393
reduction in sediments, 210–11, 211
- sulfides, 19, 274, 393, 406–7, 414–15
and ore genesis, 408
- sulfur, 100, 274, 512
bacterial cycling of, 600, 600
deviation, 407
isotope ratios, 373
isotopes of, 382–3, 406–8, 414–15
isotopic fractionation, 385, 393
coefficients for, 286
oxidation of, 624–5
reservoirs of, 406–7
sources of, 408
- Sun, 6, 474, 476, 635
brightness of, 622
composition of, 447
- supernovae, 432, 434, 437n, 438, 440, 461–2, 468
1987A, 438, 438
structure of, 437
- surface acidity constants, 260
- surface charge
determination of, 259–60
development of, 258–64
as function of pH, 259
of sedimentary materials, 258
- surface complex charge, 259
- surface complex formation, 253, 255, 258
- surface complexation model, 254
- surface free energy, 191–2
and equilibrium, 192
- surface potential, 260–2
effect on adsorption, 262–4
effect on surface speciation, 263–4
- surface speciation, of ferric oxide, 263–4
- surfaces, 191–201
- surroundings, 21
- symmetric solution model, 117–18
- systems, 21
adiabatic, 21, 38, 303
closed, 21, 240–1
CMAS, 130
heterogeneous, 62
homogeneous, 62
isoentropic, 303–4
isolated, 21
mafic, 293–4
multicomponent, 182–7
open, 21, 240
oxidised, 100
potassium–argon, 359
reduced, 100
states of, 21, 22
ternary, 135, 136
thermodynamic, 21–4
ultramafic, 293–4
- T-Tauri stars, 469–70, 470, 471, 479
- taenite, in meteorites, 451, 454–5
- talc, 18, 250–1
- tannins, 575, 586
- tantalum, 278
in continental crust, 542, 544
in subduction zone magmas, 550
isotopes of, 442
- tartaric acid, 586
- Taurus-Auriga cloud complex, 468
- Taylor series expansion, 143n
- technetium, 281
- technology, 2
- tectonic activity, decline in, 622
- telenite, 607
- temperature, 26–7
absolute, 13
characteristic, 45
Debye, 46
and diffusion coefficient, 187–9, 189
and dissolution, 206–7
- Einstein, 45
and enthalpy changes, 48–51
and entropy, 47, 304
and equilibrium constant, 95–6
and fractionation factor, 377–80
and Gibbs free energy, 55–6
global annual, 628, 628
and isotopic fractionation, 416
and luminosity, 431, 431
of mantle, 531–3, 533
and melt fraction, 303–7, 306
- microscopic interpretation of, 36
and molar volume, 83
and nebular condensation, 471–4
- overstep, 177–8
- and partition coefficients, 283
and petrol generation, 610–11
and rate constant, 177
and reaction rates, 163–6
solidus, 303–4, 307, 309
of stars, 431
- temperature–pressure diagram, transformations on, 50
- terpenoides, 574, 574
- terrestrial fractionation line, 466
- tetrahedral crystal-field stabilization energy (CFSE), 298
- Theia*, 486
- theoleiites, 315, 538
- theories, scientific, 5
- thermobarometers, 128, 139
exchange reaction, 133–7
practical, 129–37
solvus equilibria, 132–3
univariate reaction, 129–32
- THERMOCALC, 128
- thermodynamic (absolute) temperature, 13
- thermodynamics, 2–3
of electrolyte solutions, 80–8, 145–53
- First Law of, 27–30
fundamental equation of, 38
fundamental variables of, 23–4
- irreversible, 20, 176
and kinetics, 172–9
perspective on, 20

- thermodynamics (*cont'd*)
 and phase diagrams, 122–8
 binary systems, 124–8
 of phase distribution, 282
 second law of, 30–8
 systems of, 21–4
 third law of, 47–8
 zeroth law of, 26–7
- thermometer, 26
 ideal gas, 26
- thiophenyl, 569
- tholeiites, 484, 546, 549, 549
 crystallization sequence of, 549
- Thomson, William, 27n, 30n, 321, 463
- thorium, 280–1
 decay series isotopes, 349–55
 decay system, 345–9
 fission in, 329
 and heat production, 538
- time, and the solar system, 456–67
- time-invariant states, 21–2
- tin, 281
- titan-augite, 296
- titanium
 binding energy of, 329
 dioxide, 200
 in magmas, 549
- titanomagnetite, 136, 136, 137
 Margules parameters for, 137
- titration curves, 227–8, 228
- torbanites, 612
- total alkalinity *see* alkalinity
- TOTH proton mole balance equation, 219–20, 222, 225
- tourmaline, 418
- trace diffusion coefficients, 190
- trace elements, 3, 268–9, 524
 complexation of, 592–3
 definition of, 269–70
 distribution of
 during crystallization, 310–15, 311
 during partial melting, 299–310
 in magmas, 550
 in oceanic crust, 531
 phase distribution of, 281–2
 relative enrichment/depletion of, 300
- tracer diffusion, 182–3
 coefficients, 190–1
- tracers, 372
 radioactive, 322
- transient states, 21–2
- transition metals, 236, 236, 275
 crystal-field splittings and stabilization energies in, 298
 electronic configuration and CFSE in, 297
 first series, 278
 magnetism of, 296
- transition state theory, aspects of, 173–9
- transmission coefficient, 174
- transpiration, and
 fractionation, 393
- transport, net, 182
- Traube's Rule, 597
- tremolite, 178
 actinolite, 18
- trichloromethane, 583
- tridymite, 123
- triglycerides, 573, 573, 581
 generation of acids from, 587
- triterpenoids, 608
- trivariant assemblage, 125
- troilite, 373, 446
 in meteorites, 450, 458
- troposphere, oxygen isotopic composition in, 383
- Truesdell–Jones equation, 152–3
- Truesdell–Jones parameters, 152, 152
- tungsten, 281
 isotope ratios, 487
 isotopes of, 486–9
 radionuclides, 365
- tunneling, 327
- ulvöspinel, 136, 136, 138
- unified atomic mass unit (*u*), 323n
- univariant reaction, 129–32
- univariant systems, 126, 126
- unstable states, 22
- uraninite, 624
- uranium, 280–1, 321
 decay series isotopes, 349–55, 545
 decay system, 345–9
 fission in, 329–30
 half-life, 347
 and heat production, 538
 and sediment dating, 352
 valence states of, 100
- Uranus, 476, 478, 483
- urelites, 452–3
- Urey, Harold, 321, 371, 397, 404, 463
- valence, 11–12
 number, 100
 states, 100–1, 233, 235, 274–5, 278–80, 283, 299
 of oxygen, 17
 of sulfur, 406
- valeric acid, 581
- Van der Waals constants, 25
- Van der Waals equation, 25
- Van der Waals forces, 197
- Van der Waals interactions, 13–15, 13, 596–7
- Van Krevelen diagram, 606
- vanadate, 200–1
- vanadium, 201
 binding energy of, 329
 vanadyl, oxygenation of, 200–1, 200–1
- Van't Hoff equation, 96
- Van't Hoff, Jacobus H., 164n
- vapor pressure, 68
- vaporization, 123
- variables of state, 23
- variance, 64
- velocity, of molecules, 164
- ventilation time, 619–20
- Venus, 475, 477–8, 482, 622
- vermiculite, 250–1
- vibration, 45–6, 374, 376–7
- vibrational partition function, 377
- vinegar, 116
- Virial Equation, 26
- viscosity, 190
- vitrinite, 606, 607, 613–14
 reflectance, 609
- volatile elements, 272–4
- volcanism, 16–17, 620–1
 oceanic, 523
 subduction-related, 278, 555
- volume, 23
 change, fractional, 24
 energy associated with, 41–2
 and entropy, 36, 47
 and ideal solutions, 72–3
- vulcanization, 604–5
- wadsleyite, 500
- water, 67–8, 68–9, 72
 age of, 361
 alkalinity of, 229
 alkanes in, 583
 amino acids in, 582
 bridging, 597–8

- carbohydrates dissolved in, 582, 582
 correction for concentration of, 148–9
 dissociation constant for, 217
 dissolved organic carbon in, 581
 in equilibrium with atmosphere, 222–3
 in equilibrium with carbon dioxide, 98
 fresh, 181, 236–8
 speciation in, 237–8
 fugacity coefficients, 75
 fulvic acid composition in, 584
 ground, 222
 hard, 223
 humic acid composition in, 584
 humic substances in, 583–6, 584
 hydrocarbons in, 569, 582–3
 infrared absorption by, 617–18
 isoprenoids in, 583
 isotopic composition of, 397
 and melting, 554–5
 melting point of, 78–80
 meteoric, 389, 403, 403, 404
 methane in, 582–3, 583
 molecular structure of, 80
 molecules
 bonding of, 14
 disruption of, 595
 nature of, 80–2
 organic matter in, 580–9, 580
 pe-pH diagram, 108
 pore, 183–4
 vapor, 381–2, 387–8
 water washing, of petroleum, 611
 water-rock ratios, 404–6
 waxes, 574
 weathering, 15–16, 61, 556
 and adsorption, 598–9
 of anorthite, 161
 Wegener, Alfred, 321
 weight fraction, 82
 Wein's Law, 617
 white dwarfs, 432–3, 436–7, 442
 Widmanst  ten pattern, 454
 Wiechert, Emil, 511
 Winonaites, 452
 wollastonite, 18, 196
 work, 23, 28, 30
 PV, 28–9
 reversible, 28
 w  stite, 110, 135, 136
 X-rays, 461, 469, 471
 X-winds, 462, 466, 469–70
 model of, 470
 xenoliths, 144, 144, 344, 493
 harzburgitic, 526
 Mg/Si variation in, 504
 peridotite, 410, 410, 527
 isotope ratios in, 527–8, 527
 modal mineralogy of, 498
 xenon, 330
 isotopes of, 463–5
 isotopic composition, 464
 radionuclides, 363–4, 458
 Young's modulus, 285–6
 ytterbium, 442
 yttrium, 275–8
 zero point of charge (ZPC), 259
 zero point energy (ZPE), 374
 zeroth law, of
 thermodynamics, 26–7
 zinc
 complexation of, 232
 deposits, 407
 electron exchange, 101
 partitioning of, 288–9, 288–9
 reduction of, 103
 sulfide, 407
 zircon, 342, 346, 544
 dating of, 545–6
 solubility in basalts, 287
 zone refining, 301

LIST OF EXAMPLES

- Activities using the local charge balance model, 90–1
 - Activity coefficients in a brine, 153
 - Adsorption of lead on hydrous ferric oxide as a function of pH, 256–7
 - Balancing redox reactions for pE –pH diagrams, 109
 - Calcite solubility in a closed system, 240–1
 - Calculating activities using the Debye–Hückel equation, 86
 - Calculating activities using the mixing-on-site model, 90
 - Calculating the alkalinity of spring water, 229

- Calculating binding energies, 329
 - Calculating buffer intensity, 230
 - Calculating enthalpy and entropy changes, 53
 - Calculating equilibrium constants and equilibrium concentrations, 95
 - Calculating the hydrogen scale potential of net reactions, 104
 - Calculating isobaric enthalpy changes, 49
 - Calculating isochrons and ages, 333
 - Calculating magma temperatures using the olivine geothermometer, 134–5

- Calculating melting curves, 124
 - Calculating neodymium model ages, 338–9
 - Calculating partition coefficients, 291–2
 - Calculating single ion activity coefficients from mean ionic activity coefficients, 146
 - Complexation of lead, 234
 - Computing activities using Margules parameters, 119
 - Configurational entropy, 48
 - Constructing stability diagrams, 243–5
 - Determining the growth rate of a manganese nodule, 353–4

- Determining the pH of rainwater from its composition, 99
- Effect of surface potential on surface speciation of ferric oxide, 263–4
- Diffusion in a crystal, 183
- Enthalpies (or heats) of reaction and Hess's Law, 51
- Entropy in reversible and irreversible reactions, 37
- Equilibration between a mineral grain and pore water, 183–4
- Estimating free energy change for the aragonite–calcite transition, 174–5
- Interdiffusion coefficients, 187
- Manipulating reactions and equilibrium constant expressions, 92
- Mean ionic parameters for a fully dissociated electrolyte, 147
- Measuring enthalpies of reaction, 40
- Modeling partial melting, 302
- Modeling the strontium and neodymium isotope evolution of the crust and mantle, 340
- Nucleation of diopside, 195
- Oxidation of ferrous iron, 168
- Oxygen isotope geothermometry, 386
- Parameterizing partition coefficients, 288–9
- pH of a solution with fixed total carbonate concentration, 224
- pH of water in equilibrium with atmosphere, 223
- Predicting the equilibrium pressure of a mineral assemblage, 56–7
- Predicting isotopic fractionations, 378–9
- Predicting rates of reversible metamorphic reactions, 178
- Proton, mass, and charge balance equations for sodium carbonate solution, 222
- Racemization of amino acids, 171
- Rate of hydration of carbon dioxide, 167
- Soil organic acid, 98
- Speciation of copper in fresh water, 594–5
- Speciation in fresh water, 237–8
- Speciation of organic ligands in fresh water, 593
- The graphite-diamond transition, 65–6
- The Langmuir isotherm, 198
- The tableau method of Morel and Hering, 226
- Using fugacity to calculate Gibbs free energy, 76–7
- Using Gibbs free energy to predict equilibrium, 55
- Using the iron–titanium oxide geothermometer, 138
- Using the solubility product, 94
- Volume and free energy changes for finite compressibility, 57–8